

2019

100
YEARS OF QUALITY
EST. 1919

narex
BYSTŘICE



MADE IN
CZECH REPUBLIC



Czech tradition and quality

Woodworking tools

Chisels RICHTER
8 - 9



Chisels WOOD LINE PLUS
10 - 15



Chisels WOOD LINE PROFI
16 - 19



Chisels SUPER 2009 LINE
20 - 22



Chisels PLAST LINE
24 - 25



Rasps
26 - 27



Mallets
30 - 31



Other tools
32 - 39



Screwdrivers
40 - 41



Woodturning tools

HSS LINE PROFI
42 - 44



HSS LINE MINI
45



STANDARD LINE
46 - 47



Carving tools

Carving chisels PROFI
48 - 51



Detailed chisels PROFI
52



Engraving chisels PROFI
53



Carving knives PROFI
54 - 55



Sharpening stones PROFI
56 - 57



Carving tools STANDARD
58 - 61



Carving tools START
62 - 63



Company history

Hand tools production in Bystřice in the Czech Republic, can be proud of its 100 years production tradition. Our company went through many changes since its foundation in 1919, influenced for example by 2nd World War, nationalization processes in late 1940s as well as demolition of the „Iron Curtain“ in 1989. Even though many things changed since the founder of our factory forged his first chisel blade in



his simple workshop, our mission and spirit remained the same, and that is to bring high-quality and affordable hand tools to craftsmen and woodworkers.

Nowadays, we are proud to export our high-quality products into more than 45 countries all over the world and to celebrate world-wide success.


Explore with us some of the most important milestones in our company history:

1919

History of our factory dates back to 1919, when manufacturer Václav Richter founded a factory producing quality tools for woodworking. The oldest preserved catalog from 1929 already features around 150 products and its variations.

1970

In 1970's the production grew rapidly and the overall output doubled. New business name and trademark NAREX was established.



1945

Throughout the years company continuously grew and the development was not interrupted even by the 2nd World War. Substantial change was brought by 1948, when the company was nationalized, whereas in 1958 the factory was connected as an individual manufacture to the newly established national company Nářadí Praha, subsequently Narex Praha.



1937| Václav Richter tools manufacture



1938| Newly built forge



1955| Semi-automatic machining



1937



1979



2015

1994

In this year the privatization process was finalized and company NAREX BYSTRICE s.r.o., which is known today, was formed. Up until now the company remains in 100% Czech ownership.

2019


Our company currently ranks itself among major international hand tools producers. Based in the same location where Václav Richter started exactly 100 years ago, our 110 employees make more than 1,600 items, from which 60% is being exported all over the world.

1989

This year meant not only political changes, but also changes within the national company Narex Praha. Individual plants gained independence and were turned into public limited companies. The plant in Bystřice became Narex Bystřice a.s.

2018

The most successful business year in new era of the company, when the annual turnover reached more than 120 mil. CZK.



1988| Forging line



2007| First CNC grinding machines




2016| New power hammer

Narex today

About Us

Our company remains in 100% Czech ownership and continues to belong among traditional Czech hand tools producers. The complete production is situated in our plant in Bystřice, a town situated 50km south of our capital city Prague. Our current standard production range includes more than 1,600 items with its core focus on woodworking tools, which have been in our blood since Václav Richter made his first chisel in 1919. In addition to the standard products from the woodworking product line, custom-made tools are manufactured according to samples or drawings of our customers.

Wide range of products, focus on high-quality production and proactive approach to innovation are the means of our success and also the reason why the company ranks itself among the major global hand tools manufacturers.



How chisels are made

Production and development

Thanks to the successful connection of traditional manufacturing processes, quality input materials and modern technologies, we are able to offer high quality products for affordable price. This has been our mission since the very beginning of our tools production. Top quality of our tools is based on DIN and ISO norms, which became the standards of our production and guarantee hardness, toughness and accuracy of our tools.

Our wide range of products requires various production facilities starting from a tool shop that creates moulds, forging dies and forging and trimming tools for our forge. The forge is the heart of our factory giving birth to most of our woodworking tools by shaping heated pieces of metal into its desired state by various power hammers. Our traditional heat treating line hardens and tempers the steel to its needed strength, so that it can be further ground or machined to its final state. While machining takes place on modern CNC machines, grinding combines CNC technology with traditional hand-grinding carried out by our skillful workers. Least, but not last, our plastic molding finalizes forms of many regular products like screwdrivers, whereas our wood shop turns and shapes handles of the most traditional woodworking tools we make.

Innovation and development of new products is carried out continuously by our research and development team. Our employees cooperate closely with universities as well as our valued customers to ensure the best results of the novelties we bring to the market each year.



How chisels are made

Scan this QR code to watch our short video covering each of the manufacturing steps.



Exhibitions and shows

We regularly participate in both domestic and international exhibitions. Not only this enables us to be in continuous contact with current and potential new customers, but it

Distribution


Distribution of our tools is carried out through our dealers' network, which is being regularly updated online at www.narextools.com. Please click on the Distributors tab in the main



International Hardware Fair, Cologne



CONECO, Bratislava



MITEX, Moscow

also gets us closer to the final end users that often visit these shows, helping us to obtain essential feedback on our products. Customer response has always been our motivation to innovation.

menu of our web site or follow the QR code below. If your country is not present in our dealers list, please do not hesitate to contact us in order to get your tools from us.

International exhibitions planned in 2019/2020:

- LIGNA Hannover, May 2019
- AWFS Las Vegas, July 2019
- International Hardware Fair Cologne, March 2020
- Holz-Handwerk Nürnberg, March 2020
- IWF Atlanta, August 2020



Dealers' list

Scan this QR code to see our list of world-wide dealers.



New products 2019



Bevel edge chisel RICHTER

Our finest and most innovative chisel up to date.



Leather apron

A branded fine quality leather apron for woodworkers.



Wheel marking gauge

A handy tool for transferring and marking dimensions directly into the wood by the steel cutting scribe disc.

RICHTER



INFORMATION

BLADES



- forged from high quality Cr-V steel
- cryogenically treated and tempered to at least 62 HRC
- fine ground and polished
- ultra-thin sides for reaching into tight spaces

SETS



wooden box

HANDLES



- domestic ash hardwood
- sanded and polished
- solid stainless steel ferrule
- leather washer

USE



- Named after our founder Mr. Vaclav Richter, these chisels represent the highest quality of our manufacturing processes combining unique materials, heat treatment and machining in order to produce the finest tool for woodworkers. Every chisel is marked by our trademark RICHTER EXTRA.



8150| Bevel edge chisel RICHTER



| Code |  mm |  mm |  mm | Picture |  |
|---------|--|--|--|---|---|
| 8150 03 | 1/8" (3mm) | 120 | 255 |  | 1 |
| 8150 07 | 1/4" (6mm) | 120 | 255 |  | 1 |
| 8150 09 | 3/8" (10mm) | 124 | 260 |  | 1 |
| 8150 13 | 1/2" (13mm) | 126 | 260 |  | 1 |
| 8150 19 | 3/4" (19mm) | 134 | 270 |  | 1 |
| 8150 25 | 1" (25mm) | 140 | 275 |  | 1 |
| 8150 39 | 1 1/2" (38mm) | 155 | 290 |  | 1 |

Handle: domestic ash hardwood, sanded and polished
solid stainless steel ferrule

Blade: forged Cr-V steel, cryogenically treated and tempered to at least 62 HRc, fine ground and polished

8536| Set of bevel edge chisels RICHTER in wooden box



| Code |  mm | Content |  |
|---------|--|---------|---|
| 8536 00 | 1/4" (6mm) | 8150 07 | 1 |
| | 3/8" (10mm) | 8150 09 | |
| | 1/2" (13mm) | 8150 13 | |
| | 3/4" (19mm) | 8150 19 | |
| | 1" (25mm) | 8150 25 | |

Content: 5-pc set in a luxury wooden box
1/4"-3/8"-1/2"-3/4"-1"



Cryogenic treatment

Right after initial hardening, cryogenic treatment cools the steel down to very low temperatures by using liquid nitrogen to as low as -190 °C. This completes transformation of austenite, which increases both the hardness and toughness of the steel.

WOOD LINE PLUS



INFORMATION

BLADES



- forged from highly alloyed Cr-Mn steel
- heat treated up to 59 HRC
- fully ground or polished
- sharpened and ready to use out of the box

HANDLES



- ergonomic with round cross-section
- hard hornbeam wood
- stained and waxed
- brass ferrule

USE



- Full range of fine, high quality chisels for traditional woodworking operations like paring, dovetailing, squaring-out mortises or finishing operations.

SETS



paper box



wooden box



display stand

8116| Bevel edge chisel PREMIUM



| Code | |  |  |  |  |
|---------|----------|---|---|---|---|
| ground | polished | mm | mm | mm | |
| 8116 06 | 8116 56 | 6 | 120 | 254 | 10 |
| 8116 08 | 8116 58 | 8 | 122 | 256 | 10 |
| 8116 10 | 8116 60 | 10 | 124 | 258 | 10 |
| 8116 12 | 8116 62 | 12 | 126 | 260 | 10 |
| 8116 14 | 8116 64 | 14 | 128 | 262 | 10 |
| 8116 16 | 8116 66 | 16 | 130 | 275 | 10 |
| 8116 18 | 8116 68 | 18 | 132 | 277 | 10 |
| 8116 20 | 8116 70 | 20 | 134 | 279 | 10 |
| 8116 22 | 8116 72 | 22 | 136 | 281 | 10 |
| 8116 26 | 8116 76 | 26 | 140 | 285 | 10 |
| 8116 30 | 8116 80 | 30 | 144 | 289 | 10 |
| 8116 32 | 8116 82 | 32 | 146 | 291 | 10 |
| 8116 40 | 8116 90 | 40 | 155 | 300 | 10 |
| 8116 50 | 8116 99 | 50 | 165 | 310 | 10 |

Handle: stained hornbeam wood, waxed
brass ferrule

Blade: forged Cr-Mn steel, PREMIUM grinding
equipped with edge guard

Use: PREMIUM grinding of thin sides all along the blade minimizes friction when cutting into wood, which is especially needed in dovetailing.



8632| Set of bevel edge chisels PREMIUM in paper box

| Code |  | Content |  |
|---------|---|---------|---|
| | mm | | |
| | 6 | 8116 06 | |
| 8632 01 | 12 | 8116 12 | 1 |
| | 20 | 8116 20 | |
| | 26 | 8116 26 | |

| Code |  | Content |  |
|---------|---|---------|---|
| | mm | | |
| | 8 | 8116 08 | |
| 8632 02 | 10 | 8116 10 | 1 |
| | 16 | 8116 16 | |
| | 32 | 8116 32 | |

Content: 4-pc set in a paper box
6-12-20-26 mm

Version: ground

Content: 4-pc set in a paper box
8-10-16-32

Version: ground



8532| Set of bevel edge chisels PREMIUM in wooden box

| Code | |  | Content ground | Content polished |  |
|---------|----------|---|----------------|------------------|---|
| ground | polished | mm | | | |
| | | 6 | 8116 06 | 8116 56 | |
| | | 10 | 8116 10 | 8116 60 | |
| 8532 00 | 8532 50 | 12 | 8116 12 | 8116 62 | 1 |
| | | 16 | 8116 16 | 8116 66 | |
| | | 20 | 8116 20 | 8116 70 | |
| | | 26 | 8116 26 | 8116 76 | |



8638| Set of bevel edge chisels in canvas tool roll

| Code | |  | Content ground | Content polished |  |
|---------|----------|---|----------------|------------------|---|
| ground | polished | mm | | | |
| | | 6 | 8116 06 | 8116 56 | |
| | | 12 | 8116 12 | 8116 62 | |
| 8638 21 | 8638 31 | 16 | 8116 16 | 8116 66 | 1 |
| | | 20 | 8116 20 | 8116 70 | |
| | | 26 | 8116 26 | 8116 76 | |



8127| Firmer gouge PREMIUM





| Code | mm | mm | mm | |
|---------|----|-----|-----|----|
| 8127 08 | 8 | 124 | 258 | 10 |
| 8127 10 | 10 | 124 | 258 | 10 |
| 8127 12 | 12 | 124 | 258 | 10 |
| 8127 14 | 14 | 124 | 258 | 10 |
| 8127 16 | 16 | 132 | 277 | 10 |
| 8127 20 | 20 | 132 | 277 | 10 |
| 8127 26 | 26 | 132 | 277 | 10 |

Handle: stained hornbeam wood, waxed
brass ferrule

Blade: forged Cr-Mn steel, PREMIUM grinding
equipped with edge guard

Use: Special gouges with black blade, which tapers in height
improves blade penetration into wood.



8637| Set of firmer gouges PREMIUM in paper box

| Code | mm | Content | |
|---------|----|---------|---|
| 8637 00 | 8 | 8127 08 | 1 |
| | 10 | 8127 10 | |
| | 16 | 8127 16 | |
| | 26 | 8127 26 | |

Content: 4-pc set in a paper box
8-10-16-26 mm



8533| Set of firmer gouges PREMIUM in wooden box

| Code | mm | Content | |
|---------|----|---------|---|
| 8533 00 | 8 | 8127 08 | 1 |
| | 10 | 8127 10 | |
| | 12 | 8127 12 | |
| | 16 | 8127 16 | |
| | 20 | 8127 20 | |
| | 26 | 8127 26 | |

Content: 6-pc set in a luxury wooden box
8-10-12-16-20-26 mm



8134| Corner chisel



| Code | mm | mm | mm | |
|---------|----|-----|-----|----|
| 8134 10 | 10 | 120 | 265 | 10 |

Handle: stained hornbeam wood, waxed
brass ferrule

Blade: forged Cr-Mn steel, polished
equipped with edge guard

Use: Corner chisel enables smooth and precise squaring of the corners in the
angle of 90°, after the mortise has been roughed out by hand or with a
machine.

8111| Skew chisel



| right | left | | | | |
|---------|---------|----|-----|-----|----|
| 8111 06 | 8111 56 | 6 | 118 | 252 | 10 |
| 8111 12 | 8111 62 | 12 | 124 | 258 | 10 |
| 8111 20 | 8111 70 | 20 | 132 | 277 | 10 |
| 8111 26 | 8111 76 | 26 | 138 | 283 | 10 |

Handle: stained hornbeam wood, waxed
brass ferrule

Blade: forged Cr-Mn steel
equipped with edge guard

Use: Special chisels with left and a right hand 30° skew. Suitable for cleaning out corners, dovetails and jobs in areas that cannot be reached by standard chisels.

8516| Set of skew chisels in wooden box

| Code | mm | Content | |
|---------|----|---------|---|
| 8516 56 | 6 | 8111 06 | 1 |
| | 6 | 8111 56 | |
| 8516 62 | 12 | 8111 12 | 1 |
| | 12 | 8111 62 | |
| 8516 70 | 20 | 8111 20 | 1 |
| | 20 | 8111 70 | |
| 8516 76 | 26 | 8111 26 | 1 |
| | 26 | 8111 76 | |

Content: 2-pc set in a wooden box
6-6; 12-12; 20-20; 26-26 mm



8110| Butt chisel



| Code | mm | | | |
|---------|----|----|-----|----|
| 8110 56 | 6 | 95 | 170 | 10 |
| 8110 62 | 12 | 95 | 170 | 10 |
| 8110 70 | 20 | 95 | 170 | 10 |
| 8110 76 | 26 | 95 | 170 | 10 |

Handle: stained hard wood, waxed
brass ferrule

Blade: forged Cr-Mn steel
equipped with edge guard

Use: The butt chisel is designed primarily to use in cutting and paring tasks.

8537| Set of butt chisels in wooden box


| Code | mm | Content | |
|---------|----|---------|---|
| 8537 50 | 6 | 8110 56 | 1 |
| | 12 | 8110 62 | |
| | 20 | 8110 70 | |
| | 26 | 8110 76 | |

Content: 4-pc set in a wooden box
6-12-20-26 mm



8132| Paring chisel



| Code |  mm |  mm |  mm |  |
|---------|--|--|--|---|
| 8132 07 | 1/4" (6mm) | 245 | 390 | 5 |
| 8132 13 | 1/2" (13mm) | 245 | 390 | 5 |
| 8132 19 | 3/4" (19mm) | 245 | 390 | 5 |
| 8132 25 | 1" (25mm) | 245 | 390 | 5 |
| 8132 31 | 1 1/4" (32mm) | 245 | 390 | 5 |


Handle: stained hard wood, waxed
brass ferrule

Blade: forged Cr-Mn steel
equipped with edge guard

Use: Paring chisels are used primarily for carefully shaving off thin amounts of wood when fitting joints. The long length gives maximum control. These tools are always pushed by hand, they are never malleted.

8133| Cranked-neck paring chisel



| Code |  mm |  mm |  mm |  |
|---------|--|--|--|---|
| 8133 07 | 1/4" (6mm) | 118 | 252 | 10 |
| 8133 13 | 1/2" (13mm) | 122 | 256 | 10 |
| 8133 19 | 3/4" (19mm) | 131 | 276 | 10 |
| 8133 25 | 1" (25mm) | 138 | 282 | 10 |

Handle: stained hard wood, waxed
brass ferrule

Blade: forged Cr-Mn steel, polished
equipped with edge guard

Use: For cleaning out flat surfaces and other places, which cannot be reached by regular chisels.



8135| Dovetail chisel



| Code |  mm |  mm |  mm |  |
|---------|--|--|--|---|
| 8135 07 | 1/4" (6mm) | 130 | 268 | 10 |
| 8135 13 | 1/2" (13mm) | 130 | 268 | 10 |
| 8135 19 | 3/4" (19mm) | 130 | 268 | 10 |

Handle: stained hard wood, waxed
brass ferrule

Blade: forged Cr-Mn steel
equipped with edge guard

Use: Triangular cross-section of the blade in combination with its hollow back makes this chisel in particular suitable for creating and cleaning out dovetails.



8521| Set of dovetail chisels in wooden box

| Code |  mm | Content |  |
|---------|--|---------|---|
| | 1/4" (6mm) | 8135 07 | |
| 8521 00 | 1/2" (13mm) | 8135 13 | 1 |
| | 3/4" (19mm) | 8135 19 | |

Content: 3-pc set in a wooden box
1/4"-1/2"-3/4"



8114| Carpenter's chisel



| Code |  mm |  mm |  mm |  |
|---------|--|--|--|---|
| 8114 28 | 28 | 156 | 311 | 10 |
| 8114 30 | 30 | 158 | 313 | 10 |
| 8114 32 | 32 | 160 | 315 | 10 |

Handle: stained hornbeam wood, waxed
brass ferrule

Blade: forged Cr-Mn steel
equipped with edge guard

Use: Carpenter's chisel is especially suitable for rough jobs, where heavy blows are needed.

8115| Firmer chisel



| Code |  mm |  mm |  mm |  |
|---------|---|---|---|--|
| 8115 06 | 6 | 120 | 254 | 10 |
| 8115 12 | 12 | 126 | 260 | 10 |
| 8115 20 | 20 | 134 | 279 | 10 |
| 8115 26 | 26 | 140 | 285 | 10 |

Handle: stained hornbeam wood, waxed
brass ferrule

Blade: forged Cr-Mn steel
equipped with edge guard

Use: Special tool for rough work. Blade tapers in width and lengthwise from tip to shoulder for sidewall clearance.

8777| Display stands with bevel edge chisels PREMIUM

| Code |  mm | Content |  g |  |
|---------|--|-----------------|---|---|
| 8777 06 | 6 | 8116 06 - 5 pcs | 10112 | 1 |
| | 8 | 8116 08 - 5 pcs | | |
| | 10 | 8116 10 - 5 pcs | | |
| | 12 | 8116 12 - 5 pcs | | |
| | 16 | 8116 16 - 5 pcs | | |
| | 20 | 8116 20 - 5 pcs | | |
| | 26 | 8116 26 - 5 pcs | | |
| | 30 | 8116 30 - 5 pcs | | |
| 40 | 8116 40 - 5 pcs | | | |

Content: 45 pcs on a steel display stand

Size: 500 x 250 x 340mm

Version: ground



| Code |  mm | Content |  g |  |
|---------|--|-----------------|---|---|
| 8777 07 | 6 | 8116 56 - 5 pcs | 10112 | 1 |
| | 8 | 8116 58 - 5 pcs | | |
| | 10 | 8116 60 - 5 pcs | | |
| | 12 | 8116 62 - 5 pcs | | |
| | 16 | 8116 66 - 5 pcs | | |
| | 20 | 8116 70 - 5 pcs | | |
| | 26 | 8116 76 - 5 pcs | | |
| | 30 | 8116 80 - 5 pcs | | |
| 40 | 8116 90 - 5 pcs | | | |

Content: 45 pcs on a steel display stand

Size: 500 x 250 x 340mm

Version: polished




WOOD LINE PROFI



INFORMATION

BLADES



- forged from highly alloyed Cr-Mn steel
- heat treated up to 59 HRC
- fully ground
- sharpened and ready to use out of the box
- meet DIN 5139 requirements

HANDLES



- ergonomic with oval cross-section
- beach wood
- stained waxed or natural varnished version
- steel ferrule and hoop

USE



- High quality chisels suitable for those preferring tradition and style in woodworking

SETS



paper box



wooden box



display stand

8101| Bevel edge chisel
8105|



natural varnished

dark stained

| Code | |  |  |  |  |
|---------|---------|---|---|---|---|
| natural | dark | | | | |
| 8101 03 | 8105 03 | 3 | 120 | 258 | 10 |
| 8101 04 | 8105 04 | 4 | 120 | 258 | 10 |
| 8101 05 | 8105 05 | 5 | 120 | 258 | 10 |
| 8101 06 | 8105 06 | 6 | 120 | 258 | 10 |
| 8101 08 | 8105 08 | 8 | 122 | 260 | 10 |
| 8101 10 | 8105 10 | 10 | 124 | 262 | 10 |
| 8101 12 | 8105 12 | 12 | 126 | 264 | 10 |
| 8101 14 | 8105 14 | 14 | 128 | 266 | 10 |
| 8101 16 | 8105 16 | 16 | 130 | 270 | 10 |
| 8101 18 | 8105 18 | 18 | 132 | 272 | 10 |
| 8101 20 | 8105 20 | 20 | 134 | 274 | 10 |
| 8101 22 | 8105 22 | 22 | 136 | 276 | 10 |
| 8101 26 | 8105 26 | 26 | 140 | 280 | 10 |
| 8101 30 | 8105 30 | 30 | 144 | 284 | 10 |
| 8101 32 | 8105 32 | 32 | 146 | 286 | 10 |
| 8101 40 | 8105 40 | 40 | 155 | 304 | 10 |
| 8101 50 | 8105 50 | 50 | 165 | 310 | 10 |

- Handle:** natural varnished or stained waxed beech wood steel ferrule and hoop
- Blade:** forged Cr-Mn steel edge guard supplied on request
- Use:** Traditional bench chisel for general woodworking tasks.

8630| Set of bevel edge chisels
8631| in paper box

| Code |  | Content |  |
|---------|---|---------|---|
| 8630 10 | 6 | 8101 06 | 1 |
| | 12 | 8101 12 | |
| | 20 | 8101 20 | |
| | 26 | 8101 26 | |

| Code |  | Content |  |
|---------|---|---------|---|
| 8631 10 | 8 | 8101 08 | 1 |
| | 10 | 8101 10 | |
| | 16 | 8101 16 | |
| | 32 | 8101 32 | |

| Code |  | Content |  |
|---------|---|---------|---|
| 8630 20 | 6 | 8105 06 | 1 |
| | 12 | 8105 12 | |
| | 20 | 8105 20 | |
| | 26 | 8105 26 | |

| Code |  | Content |  |
|---------|---|---------|---|
| 8631 20 | 8 | 8105 08 | 1 |
| | 10 | 8105 10 | |
| | 16 | 8105 16 | |
| | 32 | 8105 32 | |

Content: 4-pc set in a paper box
6-12-20-26 mm

Content: 4-pc set in a paper box
8-10-16-32 mm



8530| Set of bevel edge chisels
in wooden box

| Code |  | Content |  |
|---------|---|---------|---|
| 8530 55 | 6 | 8101 06 | 1 |
| | 10 | 8101 10 | |
| | 12 | 8101 12 | |
| | 16 | 8101 16 | |
| | 20 | 8101 20 | |
| 26 | 8101 26 | | |

Content: 6-pc set in a light wooden box
6-10-12-16-20-26 mm
Version: natural varnished



| Code |  mm | Content |  |
|---------|---|---------|---|
| 8530 53 | 6 | 8105 06 | 1 |
| | 10 | 8105 10 | |
| | 12 | 8105 12 | |
| | 16 | 8105 16 | |
| | 20 | 8105 20 | |
| | 26 | 8105 26 | |

Content: 6-pc set in a dark wooden box
6-10-12-16-20-26 mm
Version: dark stained



8638| Set of bevel edge chisels in canvas tool roll

| Code |  mm | Content |  |
|---------|---|---------|---|
| 8638 01 | 6 | 8101 06 | 1 |
| | 12 | 8101 12 | |
| | 16 | 8101 16 | |
| | 20 | 8101 20 | |
| | 26 | 8101 26 | |

Content: 6-pc set in a light wooden box
6-12-16-20-26 mm
Version: natural varnished



8638| Set of bevel edge chisels in canvas tool roll

| Code |  mm | Content |  |
|---------|---|---------|---|
| 8638 11 | 6 | 8105 06 | 1 |
| | 12 | 8105 12 | |
| | 16 | 8105 16 | |
| | 20 | 8105 20 | |
| | 26 | 8105 26 | |

Content: 6-pc set in a dark wooden box
6-12-16-20-26 mm
Version: dark stained



8777| Display stands with chisels

| Code |  mm | Content |  |
|---------|---|-----------------|---|
| 8777 01 | 6 | 8101 06 - 5 pcs | 1 |
| | 8 | 8101 08 - 5 pcs | |
| | 10 | 8101 10 - 5 pcs | |
| | 12 | 8101 12 - 5 pcs | |
| | 16 | 8101 16 - 5 pcs | |
| | 20 | 8101 20 - 5 pcs | |
| | 26 | 8101 26 - 5 pcs | |
| | 40 | 8101 40 - 5 pcs | |

Content: 45 pcs on a steel display stand
Size: 500 x 250 x 340mm
Version: natural varnished



| Code |  mm | Content |  |
|---------|---|-----------------|---|
| 8777 02 | 6 | 8105 06 - 5 pcs | 1 |
| | 8 | 8105 08 - 5 pcs | |
| | 10 | 8105 10 - 5 pcs | |
| | 12 | 8105 12 - 5 pcs | |
| | 16 | 8105 16 - 5 pcs | |
| | 20 | 8105 20 - 5 pcs | |
| | 26 | 8105 26 - 5 pcs | |
| | 40 | 8105 40 - 5 pcs | |

Content: 45 pcs on a steel display stand
Size: 500 x 250 x 340mm
Version: dark stained



8776| Set of bevel edge chisels in wooden stand

| Code | mm | Content |  |
|---------|----|---------|---|
| 8776 01 | 6 | 8101 06 | 1 |
| | 12 | 8101 12 | |
| | 16 | 8101 16 | |
| | 20 | 8101 20 | |
| | 26 | 8101 26 | |
| | 32 | 8101 32 | |

Content: 6-pc set in a light wooden stand
6-12-16-20-26-32 mm

Stand: Beech wooden stand can be ordered also individually under item number 8776 00.



8121| Firmer gouge



| Code | mm | mm | mm |  |
|---------|----|-----|-----|---|
| 8121 08 | 8 | 124 | 262 | 10 |
| 8121 10 | 10 | 124 | 262 | 10 |
| 8121 12 | 12 | 124 | 262 | 10 |
| 8121 14 | 14 | 124 | 262 | 10 |
| 8121 16 | 16 | 132 | 272 | 10 |
| 8121 20 | 20 | 132 | 272 | 10 |
| 8121 26 | 26 | 132 | 272 | 10 |

Handle: natural varnished beech wood
steel ferrule and hoop

Blade: forged Cr-Mn steel
edge guard supplied on request

Use: Cabinetmaker's firmer gouge with a traditional ,U'-shaped cross-section for general woodworking tasks.

8635| Set of firmer gouges in paper box

| Code | mm | Content |  |
|---------|----|---------|---|
| 8635 10 | 8 | 8121 08 | 1 |
| | 10 | 8121 10 | |
| | 16 | 8121 16 | |
| | 26 | 8121 26 | |

Content: 4-pc set in a paper box
8-10-16-26 mm



8112| Mortise chisel



| Code | mm | mm | mm |  |
|---------|----|-----|-----|---|
| 8112 04 | 4 | 149 | 298 | 10 |
| 8112 05 | 5 | 149 | 298 | 10 |
| 8112 06 | 6 | 149 | 298 | 10 |
| 8112 08 | 8 | 149 | 298 | 10 |
| 8112 10 | 10 | 149 | 298 | 10 |
| 8112 12 | 12 | 149 | 298 | 10 |
| 8112 14 | 14 | 149 | 298 | 10 |
| 8112 16 | 16 | 149 | 298 | 10 |

Handle: stained waxed beech wood
steel ferrule and hoop

Blade: forged Cr-Mn steel
equipped with edge guard

Use: Tool used for chopping out joints as well as cutting mortises. Excellent cutting performance is reached by sides tapering in height and lengthwise from tip to shoulder for sidewall clearance.

8636| Set of mortise chisels in paper box

| Code | mm | Content |  |
|---------|----|---------|---|
| 8636 00 | 4 | 8112 04 | 1 |
| | 6 | 8112 06 | |
| | 10 | 8112 10 | |
| | 12 | 8112 12 | |

Content: 4-pc set in a paper box
4-6-10-12 mm




SUPER 2009 LINE PROFI



INFORMATION

BLADES



- forged from highly alloyed Cr-Mn steel
- heat treated up to 59 HRC
- fully ground
- sharpened and ready to use out of the box
- meet DIN 5139 requirements

HANDLES



- ergonomic with oval cross-section and opening for hanging
- hard PP core, soft TPE cover
- with metal impact end
- shaped surface for comfortable grip

USE



- Heavy duty chisels with robust two-component handle for woodworking as well as construction use.

SETS



paper box



wooden box



display stand

8113| Bevel edge chisel



| Code |  mm |  mm |  mm |  |
|---------|--|--|--|---|
| 8113 03 | 3 | 120 | 245 | 10 |
| 8113 04 | 4 | 120 | 245 | 10 |
| 8113 05 | 5 | 120 | 245 | 10 |
| 8113 06 | 6 | 120 | 245 | 10 |
| 8113 08 | 8 | 122 | 247 | 10 |
| 8113 10 | 10 | 124 | 249 | 10 |
| 8113 12 | 12 | 126 | 251 | 10 |
| 8113 14 | 14 | 128 | 253 | 10 |
| 8113 16 | 16 | 130 | 255 | 10 |
| 8113 18 | 18 | 132 | 257 | 10 |
| 8113 20 | 20 | 134 | 259 | 10 |
| 8113 22 | 22 | 136 | 261 | 10 |
| 8113 26 | 26 | 140 | 265 | 10 |
| 8113 30 | 30 | 144 | 269 | 10 |
| 8113 32 | 32 | 146 | 271 | 10 |
| 8113 40 | 40 | 155 | 280 | 10 |
| 8113 50 | 50 | 165 | 290 | 10 |

Handle: two-component ergonomic handle with oval cross-section metal striking end resists strong hammer blows

Blade: forged Cr-Mn steel equipped with edge guard

Use: Heavy duty bevel edge chisel for woodworking as well as construction purposes. Metal striking end withstands even the strongest hammer blows, robust two component handle ensures that the chisels will not slip out of ones hand.



8606| Set of bevel edge chisels in paper box

| Code |  mm | Content |  |
|---------|--|---------|---|
| 8606 00 | 6 | 8113 06 | 1 |
| | 12 | 8113 12 | |
| | 20 | 8113 20 | |
| | 26 | 8113 26 | |

Content: 4-pc set in a paper box
6-12-20-26 mm

| Code |  mm | Content |  |
|---------|--|---------|---|
| 8606 01 | 8 | 8113 08 | 1 |
| | 10 | 8113 10 | |
| | 16 | 8113 16 | |
| | 32 | 8113 32 | |

Content: 4-pc set in a paper box
8-10-16-32 mm



8529| Set of bevel edge chisels in wooden box

| Code |  mm | Content |  |
|---------|--|---------|---|
| 8529 00 | 6 | 8113 06 | 1 |
| | 10 | 8113 10 | |
| | 12 | 8113 12 | |
| | 16 | 8113 16 | |
| | 20 | 8113 20 | |
| | 26 | 8113 26 | |

Content: 6-pc set in a wooden box
6-10-12-16-20-26 mm



8638| Set of bevel edge chisels in canvas tool roll

| Code |  mm | Content |  |
|---------|--|---------|---|
| 8638 41 | 6 | 8113 06 | 1 |
| | 12 | 8113 12 | |
| | 16 | 8113 16 | |
| | 20 | 8113 20 | |
| | 26 | 8113 26 | |

Content: 6-pc set in a light wooden box
6-12-16-20-26 mm



8777| Display stand with bevel edge chisels

| Code |  | Content |  |
|---------|---|-----------------|---|
| 8777 05 | 6 | 8113 06 - 5 pcs | 1 |
| | 8 | 8113 08 - 5 pcs | |
| | 10 | 8113 10 - 5 pcs | |
| | 12 | 8113 12 - 5 pcs | |
| | 16 | 8113 16 - 5 pcs | |
| | 20 | 8113 20 - 5 pcs | |
| | 26 | 8113 26 - 5 pcs | |
| | 30 | 8113 30 - 5 pcs | |
| | 40 | 8113 40 - 5 pcs | |

Content: 45pcs in a steel stand
Size: 500 x 250 x 340mm



8124| Firmer gouge



| Code |  |  |  |  |
|---------|---|---|---|---|
| 8124 08 | 8 | 124 | 249 | 10 |
| 8124 10 | 10 | 124 | 249 | 10 |
| 8124 12 | 12 | 124 | 249 | 10 |
| 8124 14 | 14 | 124 | 249 | 10 |
| 8124 16 | 16 | 132 | 257 | 10 |
| 8124 20 | 20 | 132 | 257 | 10 |
| 8124 26 | 26 | 132 | 257 | 10 |

Handle: two-component ergonomic handle with oval cross-section
metal striking end resists strong hammer blows

Blade: forged Cr-Mn steel
equipped with edge guard

Use: Heavy duty firmer gouge with a traditional ,U'-shaped cross-section for woodworking as well as construction purposes. Metal striking end withstands even the strongest hammer blows, robust two component handle ensures that the chisels will not slip out of ones hand.



8606| Set of firmer gouges in paper box


| Code |  | Content |  |
|---------|---|---------|---|
| 8606 02 | 8 | 8124 08 | 1 |
| | 10 | 8124 10 | |
| | 16 | 8124 16 | |
| | 26 | 8124 26 | |

Content: 4-pc set in a paper box
8-10-16-26 mm



8160| Batoning chisel MULTI



| Code |  mm |  mm |  mm |  |
|---------|--|--|--|---|
| 8160 32 | 32 | 146 | 271 | 10 |

- Handle:** two-component ergonomic handle with oval cross-section metal striking end resists strong hammer blows
- Blade:** two-edged, forged Cr-Mn steel equipped with protective holster with belt loop
- Use:** Multifunctional chisel that can be used for various tasks due to its two-edged blade.



chiselling



splitting



cutting




scraping



shaving

8131| Machine chisel with shank mounting



| Code |  mm |  mm |  mm |  mm | Material |  |
|---------|--|--|--|--|----------|---|
| 8131 10 | 10 | 175 | 115 | 10 | Cr - V | 20 |
| 8131 14 | 14 | 175 | 115 | 10 | | 20 |
| 8131 20 | 20 | 175 | 115 | 10 | | 20 |
| 8131 26 | 26 | 175 | 115 | 10 | | 20 |
| 8131 30 | 30 | 175 | 115 | 10 | | 20 |

- Blade:** Cr-V steel, hardness 58HRc
- Application:** for use with power hammer
- Mounting shank:** SDS shank, shape prevents from swinging

8539| Set of machine chisels in wooden box

| Code |  mm | Content |  |
|---------|--|---------|---|
| 8539 01 | 10 | 8131 10 | 1 |
| | 14 | 8131 14 | |
| | 20 | 8131 20 | |
| | 26 | 8131 26 | |
| | 30 | 8131 30 | |

Content: 5-pc set in a wooden box
10-14-20-26-30 mm




PLAST LINE PROFIL



INFORMATION

BLADES



- forged from highly alloyed Cr-Mn steel
- heat treated up to 59 HRC
- fully ground and sharpened
- meet DIN 5139 requirements

HANDLES



- ergonomic with oval cross-section
- from PP
- with opening for hanging

USE



- High quality chisels suitable for comfortable and professional woodworking

SETS



paper box



display stand

8109| Bevel edge chisel



| Code |  mm |  mm |  mm |  |
|---------|--|--|--|---|
| 8109 03 | 3 | 120 | 260 | 10 |
| 8109 04 | 4 | 120 | 260 | 10 |
| 8109 05 | 5 | 120 | 260 | 10 |
| 8109 06 | 6 | 120 | 260 | 10 |
| 8109 08 | 8 | 122 | 262 | 10 |
| 8109 10 | 10 | 124 | 264 | 10 |
| 8109 12 | 12 | 126 | 266 | 10 |
| 8109 14 | 14 | 128 | 268 | 10 |
| 8109 16 | 16 | 130 | 270 | 10 |
| 8109 18 | 18 | 132 | 272 | 10 |
| 8109 20 | 20 | 134 | 274 | 10 |
| 8109 22 | 22 | 136 | 276 | 10 |
| 8109 26 | 26 | 140 | 280 | 10 |
| 8109 30 | 30 | 144 | 284 | 10 |
| 8109 32 | 32 | 146 | 286 | 10 |
| 8109 40 | 40 | 155 | 295 | 10 |
| 8109 50 | 50 | 165 | 305 | 10 |

Handle: single-component ergonomic handle with oval cross-section

Blade: forged Cr-Mn steel
edge guard supplied on request

Use: Traditional bench chisel for general woodworking tasks.

8603| Set of bevel edge chisels 8604| in paper box

| Code |  mm | Content |  |
|---------|---|---------|--|
| 8603 00 | 6 | 8109 06 | 1 |
| | 12 | 8109 12 | |
| | 20 | 8109 20 | |
| | 26 | 8109 26 | |

Content: 4-pc set in a paper box
6-12-20-26 mm

| Code |  mm | Content |  |
|---------|---|---------|--|
| 8604 00 | 8 | 8109 08 | 1 |
| | 10 | 8109 10 | |
| | 16 | 8109 16 | |
| | 32 | 8109 32 | |

Content: 4-pc set in a paper box
8-10-16-32 mm



8777| Display stand with chisels

| Code |  mm | Content |  |
|---------|--|-----------------|---|
| 8777 03 | 6 | 8109 06 - 5 pcs | 1 |
| | 8 | 8109 08 - 5 pcs | |
| | 10 | 8109 10 - 5 pcs | |
| | 12 | 8109 12 - 5 pcs | |
| | 16 | 8109 16 - 5 pcs | |
| | 20 | 8109 20 - 5 pcs | |
| | 26 | 8109 26 - 5 pcs | |
| | 40 | 8109 40 - 5 pcs | |

Content: 45pcs in a steel stand
Size: 500 x 250 x 340mm



8517| Plugging chisel set

| Code | Content |  |
|---------|--------------------------------------|---|
| 8517 00 | two edge chisel three edge chisel | 3 |

Use: Used in pairs for creating and cleaning out thin mortises in wooden frames in order to insert door or window hinges.



RASPS



INFORMATION

BLADES



- carbon steel
- heat treated up to 49 HRC
- both machine and hand cut types

HANDLES



- ergonomic with round cross-section
- hard hornbeam wood
- stained and waxed
- brass ferrule

USE



- High quality machine and hand-cut rasps suitable for comfortable and professional woodworking

SETS



paper box

8725| Rectangular rasp



| Code | mm | Teeth/cm ² | mm | mm | |
|---------|------|-----------------------|-----|-----|----|
| 8725 01 | 16x4 | 20 | 150 | 295 | 10 |
| 8725 02 | 20x5 | 16 | 200 | 345 | 10 |
| 8725 52 | 20x5 | 22 (fine cut) | 200 | 345 | 10 |
| 8725 03 | 25x6 | 12 | 250 | 395 | 10 |
| 8725 04 | 30x7 | 10 | 300 | 445 | 10 |

Handle: stained hornbeam wood, waxed
Blade: carbon steel, hardness 49 HRC
 machine-cut
Use: Medium and fine machine-cut rasps for rapidly removing material with ease of control.

8725| Round rasp



| Code | | Teeth/cm ² | mm | mm | |
|---------|-----|-----------------------|-----|-----|----|
| 8725 11 | D6 | 20 | 150 | 295 | 10 |
| 8725 12 | D8 | 16 | 200 | 345 | 10 |
| 8725 62 | D8 | 22 (fine cut) | 200 | 345 | 10 |
| 8725 13 | D10 | 12 | 250 | 395 | 10 |
| 8725 14 | D12 | 10 | 300 | 445 | 10 |

Handle: stained hornbeam wood, waxed
Blade: carbon steel, hardness 49 HRC
 machine-cut
Use: Medium and fine machine-cut rasps for rapidly removing material with ease of control.

8725| Half-round rasp



| Code | | Teeth/cm ² | mm | mm | |
|---------|--------|-----------------------|-----|-----|----|
| 8725 21 | 16x5 | 20 | 150 | 295 | 10 |
| 8725 22 | 20x6,5 | 16 | 200 | 345 | 10 |
| 8725 72 | 20x6,5 | 22 (fine cut) | 200 | 345 | 10 |
| 8725 23 | 25x8 | 12 | 250 | 395 | 10 |
| 8725 24 | 28x9 | 10 | 300 | 445 | 10 |

Handle: stained hornbeam wood, waxed
Blade: carbon steel, hardness 49 HRC
 machine-cut
Use: Medium and fine machine-cut rasps for rapidly removing material with ease of control.

8542| Set of rasps in paper box

| Code | Content | Dimensions | mm | |
|---------|---------|------------|-----|---|
| 8542 01 | 8725 01 | 16x4 | 150 | 1 |
| | 8725 11 | D6 | | |
| | 8725 21 | 16x5 | | |

fine cut 22

| Code | Content | Dimensions | mm | |
|---------|---------|------------|-----|---|
| 8542 52 | 8725 52 | 20x5 | 200 | 1 |
| | 8725 62 | D8 | | |
| | 8725 72 | 20x6,5 | | |

| Code | Content | Dimensions | mm | |
|---------|---------|------------|-----|---|
| 8542 02 | 8725 02 | 20x5 | 200 | 1 |
| | 8725 12 | D8 | | |
| | 8725 22 | 20x6,5 | | |

Content: 3-pc sets in a paper box
 150-200-250 mm

| Code | Content | Dimensions | mm | |
|---------|---------|------------|-----|---|
| 8542 03 | 8725 03 | 25x6 | 250 | 1 |
| | 8725 13 | D10 | | |
| | 8725 23 | 25x8 | | |



8725| Cabinet rasp



| Code | Shape | Teeth/cm ² | mm | mm | Icon |
|---------|-------|---------------------------------------|-----|-----|------|
| 8725 31 | 28x6 | coarse 10 cuts per cm ² | 250 | 395 | 1 |
| 8725 32 | 28x6 | medium 30 cuts per cm ² | 250 | 395 | 1 |
| 8725 33 | 28x6 | fine 60 cuts per cm ² | 250 | 395 | 1 |

Handle: stained hornbeam wood, waxed
Blade: carbon steel, hardness 49 HRC
 hand-cut

Use: Used for fine shaping work by quickly removing a large amount of wood while leaving a smooth surface. Come in coarse, medim and fine grains.



Hand-cut

Hand-cut rasps function differently from machine cut rasps. They cut faster and leave a surprisingly good work surface because of the excellent surface quality, extra sharpness, and the slightly irregular spacing of their teeth.

8725| Riffler rasp





| Code | Shape | Riffler | Shape | Lenght | Icon |
|---------|-------|---------|-------|--------|------|
| 8725 81 | | | | 180 | 1 |
| 8725 82 | | | | 180 | 1 |
| 8725 83 | | | | 180 | 1 |
| 8725 84 | | | | 180 | 1 |
| 8725 85 | | | | 180 | 1 |
| 8725 86 | | | | 180 | 1 |
| 8725 87 | | | | 180 | 1 |
| 8725 88 | | | | 180 | 1 |

Blade: carbon steel, hardness 49 HRC
 hand-cut

Use: Hand cut riffler rasps offer a long handle with two rasp-ends, which are used to work curved shapes or in places that are difficult to access. Recommended for wood, plastics as well as soapstone etc. Used mainly by mold and patternmakers and sculptors.

8725| Rotary rasps



| Code | Rotary rasp |  |  |  |
|---------|---|---|---|---|
| 8725 90 |  | 30 | 60 | 1 |
| 8725 91 |  | 30 | 60 | 1 |
| 8725 92 |  | 20 | 60 | 1 |
| 8725 93 |  | 20 | 60 | 1 |
| 8725 94 |  | 11,5 | 60 | 1 |
| 8725 95 |  | 20 | 60 | 1 |
| 8725 96 |  | 30 | 60 | 1 |
| 8725 97 |  | 30 | 60 | 1 |
| 8725 98 |  | 30 | 60 | 1 |
| 8725 99 |  | 30 | 60 | 1 |

Blade: carbon steel, hardness 49 HRc
hand-cut

Use: Rotary hand cut wood rasp for preparing recesses and rapidly removing material from soft and hardwoods. For use in electric drills.

8542| Set of rotary rasps

| Code | Content |  |  |
|---------|---------|---|---|
| 8542 90 | 8725 90 | 60 | 1 |
| | 8725 94 | | |
| | 8725 96 | | |
| | 8725 97 | | |
| | 8725 98 | | |
| | 8725 99 | | |

Content: 6-pc set in a plastic box



MALLETS



INFORMATION

WOODEN MALLETS



- head and handle from beech wood
- natural surface
- versions for both joiners and carpenters

ASSEMBLING MALLETS



- interchangeable faces from plastic or rubber
- plastic or varnished wooden body
- suitable for locksmiths and sheetmetal workers

BOUNCELESS MALLET



- damping filing prevents mallet from bouncing back
- increased working safety
- interchangeable plastic faces

8251| Joiner mallet

| Code | Dimensions | L |  |
|---------|------------|-----|---|
| 8251 00 | ø 60 x 120 | 300 | 2 |
| 8251 10 | ø 60 x 170 | 330 | 2 |

Material: natural beech



8251 00

8251 10

8252| Carpenter mallet

8253|

| Code | Dimensions | L |  |
|---------|----------------|-----|---|
| 8252 00 | 60 x 75 x 110 | 280 | 2 |
| 8253 00 | 60 x 105 x 140 | 350 | 2 |


Material: natural beech



8252 00

8253 00


8751| Bounceless mallet with plastic faces

| Code | |  |  |
|---------|---------|---|---|
| Black | White | mm | |
| 8751 01 | 8751 51 | 270 | 10 |
| 8751 02 | 8751 52 | 290 | 5 |
| 8751 03 | 8751 53 | 310 | 4 |

Body: plastic
Face: PP



8750| Mallet with plastic faces

| Code |  |  |
|---------|---|---|
| | mm | |
| 8750 01 | 270 | 10 |
| 8750 02 | 290 | 5 |
| 8750 03 | 310 | 4 |

Body: plastic
Face: PP



8755| Assembling mallet with plastic faces

| Code |  |  |
|---------|---|---|
| | mm | |
| 8755 01 | 270 | 10 |
| 8755 02 | 290 | 5 |
| 8755 03 | 310 | 4 |

Body: wood
Face: PP



8752| Mallet with rubber faces

| Code |  |  |
|---------|---|---|
| | mm | |
| 8752 02 | 290 | 5 |

Body: plastic
Face: rubber



8755| Spare replaceable mallet faces

8752|

| Code | Size | Material |  |
|---------|------|----------|---|
| 8755 11 | 1 | PP | 50 |
| 8755 12 | 2 | PP | 50 |
| 8755 13 | 3 | PP | 50 |
| 8752 12 | 2 | rubber | 50 |
| 8755 21 | 1 | PP white | 50 |
| 8755 22 | 2 | PP white | 50 |
| 8755 23 | 3 | PP white | 50 |



OTHER WOODWORKING TOOLS



INFORMATION

ADZES



- forged from Cr-Mn steel
- hardened edge with leather edge guard
- handle made of oiled ash wood
- come in short (one-handed) and long (two-handed) version

DRAWKNIVES



- forged from high carbon steel
- hardened working part with leather edge guard
- handles made of stained and varnished beech wood
- come in straight and curved version

SCREWDRIVERS



- quality hardened blades with hexagon for wrench
- blade goes through to the end of the handle
- stained beech handles, brass-plated ferrule and leather washer
- full range of slotted, PH and PZ types

8909| Adze



| Code | Dimensions |  |
|---------|----------------|---|
| 8909 50 | 50 x 140 x 290 | 1 |
| 8909 70 | 70 x 180 x 620 | 1 |

Handle: natural ash wood
Blade: Cr-Mn steel, hardened edge, leather edge guard
Use: For various woodworking tasks, such as production and finishing of carpentry joints, or creating bowls and chair seats.

8908| Carpenter axe



| Code | Dimensions | Version |  |
|---------|----------------|---------|---|
| 8908 01 | 90 x 165 x 400 | right | 4 |
| 8908 02 | 90 x 165 x 400 | left | 4 |

Handle: natural ash wood
Blade: Cr-Mn steel, hardened edge
Use: Used for example for trimming large beams and boards, or for roughing out blanks from green wood rounds.

8904| Straight drawknife



| Code | Length |  |
|---------|--------|---|
| 8904 01 | 200 | 2 |
| 8904 02 | 240 | 2 |
| 8904 03 | 260 | 2 |

Handles: stained beech wood, varnished
Blade: Cr steel, hardness 55 HRC, leather edge guard
Use: A traditional woodworking hand tool used to shape wood by removing shavings.

8905| Curved drawknife



| Code | Length |  |
|---------|--------|---|
| 8905 01 | 200 | 2 |
| 8905 02 | 240 | 2 |
| 8905 03 | 280 | 2 |

Handles: stained beech wood, varnished
Blade: Cr steel, hardness 55 HRC, leather edge guard
Use: A traditional woodworking hand tool used to shape wood by removing shavings.

8796| Cabinet scrapers PREMIUM



| Code | Scraper | Dimensions |  |
|---------|---|----------------|---|
| 8796 01 |  Rectangular | 150 x 65 x 0,7 | 20 |
| 8796 02 |  Hollow shaped | 135 x 50 x 0,7 | 20 |
| 8796 03 |  Gooseneck | 120 x 70 x 0,7 | 20 |

Material: High-carbon steel, hardened, polished surface.
Use: Cabinet scraper for carpentry work such as smoothing wood surfaces and removing old paint.



8541| Set of cabinet scrapers PREMIUM

| Code | Content | Scraper |  |
|---------|---------|---------------|---|
| 8541 00 | 8796 01 | Rectangular | 10 |
| | 8796 02 | Hollow shaped | |
| | 8796 03 | Gooseneck | |

Content: 3-pc scrapers set in a vinyl pouch



8792| Cabinet scraper

| Code | Dimensions |  |
|---------|----------------|---|
| 8792 00 | 150 x 50 x 0,8 | 20 |

Material: tool carbon steel



8724| Burnisher




| Code | Length |  |
|---------|--------|---|
| 8724 01 | 150 | 10 |


Handle: stained hornbeam wood, waxed
Blade: tool steel, hardness 64 HRC
Use: Essential tool for turning over a thin cutting edge on cabinet scrapers, which makes them operate more effectively.



8786| Magnetic tool rail

| Code |  mm |  |
|---------|--|---|
| 8786 05 | 600 | 1 |

Use: intended for hanging-up tools



8721| Dowelling jig



| Code | Content |  |
|---------|--------------------------------------|---|
| 8721 00 | handle stop ring wood drill ø8 | 1 |

Use: Dowelling jig enables precise assembly and dowelling of two boards under right angle



8765| Small hack saw

| Code |  |  |  |
|---------|---|---|---|
| | mm | mm | |
| 8765 00 | 200 | 315 | 10 |

Handle: plastic
Saw blade: alloyed steel



8746| Awl 8747|

| Code | d | L | Working tip |  |
|---------|---|-----|---|---|
| 8746 10 | 6 | 164 |  Conical | 10 |
| 8747 10 | 6 | 164 |  Pyramidal | 10 |

Handle: stained beech, varnished
Blade: alloyed Cr - V steel



8270| Iron plane

| Code | Blade width | L |  |
|---------|-------------|-----|---|
| 8270 40 | 50 | 248 | 1 |

Body: aluminium alloy
Slide: gray cast iron
Blade: tool steel



8280| Hobby plane

| Code | Blade width | L |  |
|---------|-------------------|-----|---|
| 8280 00 | 44 | 102 | 1 |
| 8280 99 | spare blades 5pcs | 44 | 1 |

Body: zinc alloy
Blade: Cr - Mn steel



8300| Gimlet with plastic handle

| Code | mm | mm | mm | |
|---------|----|----|-----|----|
| 8300 03 | 3 | 90 | 120 | 20 |
| 8300 04 | 4 | 90 | 120 | 20 |
| 8300 05 | 5 | 90 | 120 | 20 |

Handle: plastic
Blade: tool carbon steel



8351| Conical countersink with wood drill for woodworking

| Code | mm | mm | |
|---------|----|----|----|
| 8351 03 | 16 | 3 | 10 |
| 8351 04 | 16 | 4 | 10 |
| 8351 05 | 16 | 5 | 10 |
| 8351 06 | 16 | 6 | 10 |
| 8351 08 | 20 | 8 | 10 |

Material: tool carbon steel



8353| Conical countersink for woodworking

| Code | Clamping part | mm | |
|---------|---------------|---------|----|
| 8353 00 | HEX 1/4" | 12 x 36 | 10 |

Material: Cr - Mo



8353| Conical countersink for woodworking with handle

| Code | mm | |
|---------|-----|----|
| 8353 10 | 130 | 20 |

Handle: plastic
Blade: Cr - Mo



8531| Set of spade drill bits for woodworking

| Code | Size Ø | Content | |
|-------------|---------|---------|----|
| 8531 00 | 10 | 8362 10 | 10 |
| | 12 | 8362 12 | |
| | 14 | 8362 14 | |
| | 16 | 8362 16 | |
| | 18 | 8362 18 | |
| | 20 | 8362 20 | |
| | 25 | 8362 25 | |
| | holder | 8362 01 | |
| screwdriver | 8531 10 | | |

Material: tool carbon steel



8363| Forged spade drill with hexagonal shank

| Code | mm | mm | mm | mm | mm |
|---------|----|-----|----|----|----|
| 8363 20 | 20 | 140 | 6 | 20 | |
| 8363 25 | 25 | 140 | 8 | 20 | |
| 8363 28 | 28 | 140 | 10 | 20 | |
| 8363 30 | 30 | 140 | 10 | 20 | |
| 8363 32 | 32 | 140 | 10 | 20 | |
| 8363 35 | 35 | 140 | 10 | 20 | |



Material: tool carbon steel

8358| Drill with shank 1/4"

| Code | d | mm | mm | mm |
|---------|-----|-----|----|----|
| 8358 01 | 1,5 | 64 | 29 | 20 |
| 8358 02 | 2,0 | 69 | 34 | 20 |
| 8358 03 | 2,5 | 79 | 43 | 20 |
| 8358 04 | 3,0 | 82 | 47 | 20 |
| 8358 05 | 3,2 | 86 | 51 | 20 |
| 8358 06 | 4,0 | 95 | 60 | 20 |
| 8358 07 | 4,8 | 105 | 70 | 20 |



Material: tool carbon steel
Use: for wood

8390| Mortising drill

| Code | mm | mm | mm | mm |
|---------|----|----|-----|----|
| 8390 08 | 08 | 16 | 115 | 10 |
| 8390 10 | 10 | 16 | 125 | 10 |
| 8390 12 | 12 | 16 | 135 | 10 |
| 8390 14 | 14 | 16 | 145 | 10 |
| 8390 16 | 16 | 16 | 155 | 10 |
| 8390 18 | 18 | 16 | 165 | 10 |
| 8390 20 | 20 | 16 | 175 | 10 |



Material: Cr - Mn

8355| Forstner bit

| Code | mm | mm | mm | mm | mm |
|---------|----|----|-----|----|----|
| 8355 10 | 10 | 13 | 120 | 1 | |
| 8355 15 | 15 | 13 | 125 | 1 | |
| 8355 20 | 20 | 13 | 130 | 1 | |
| 8355 25 | 25 | 13 | 135 | 1 | |
| 8355 30 | 30 | 13 | 140 | 1 | |
| 8355 35 | 35 | 16 | 145 | 1 | |
| 8355 40 | 40 | 16 | 150 | 1 | |
| 8355 45 | 45 | 16 | 150 | 1 | |



Material: alloyed tool steel
Use: soft wood 1000 - 2400 RPM
hard wood 500 - 1500 RPM

8354| Tenon plug cutter

| Code | mm | mm | mm | mm | mm |
|---------|----|-----|-----|----|----|
| 8354 10 | 10 | 80 | 140 | 13 | 1 |
| 8354 15 | 15 | 80 | 140 | 13 | 1 |
| 8354 20 | 20 | 80 | 140 | 13 | 1 |
| 8354 25 | 25 | 80 | 140 | 13 | 1 |
| 8354 30 | 30 | 80 | 140 | 13 | 1 |
| 8354 35 | 35 | 100 | 160 | 16 | 1 |
| 8354 40 | 40 | 100 | 160 | 16 | 1 |
| 8354 45 | 45 | 100 | 160 | 16 | 1 |



Material: alloyed tool steel
Use: soft wood 500 - 1000 RPM
hard wood 300 - 500 RPM

8790| Tack lifter

| Code | Size | mm | |
|---------|------|-----|----|
| 8790 50 | 10/3 | 205 | 10 |

Handle: natural beech wood
Blade: carbon tool steel, black surface



8793| Staple lifter

| Code | mm | mm | |
|---------|-----|-----|----|
| 8793 00 | 100 | 205 | 10 |

Handle: natural beech wood
Blade: tool carbon steel, black surface through to the end
Use: upholstery



8951| Combination oil stone

| Code | a x b x t | |
|---------|---------------|----|
| 8951 00 | 50 x 130 x 25 | 10 |

Material: artificial corundum
Layers: dark fine grained
 light coarse grained



8950| Sharpening stone for scythe

| Code | a | L | Granularity | |
|---------|----|-----|----------------|----|
| 8950 01 | 14 | 255 | coarse grained | 10 |
| 8950 02 | 14 | 255 | fine grained | 10 |



Material: artificial corundum

8949| Honing guide

| Code | size | |
|---------|---------------|---|
| 8949 00 | 117 x 66 x 57 | 2 |

Use: The guide enables honing of chisel blades and plane irons, see instructions on the card.



8949| Honing guide Sharp Edge

| Code | size | |
|---------|----------------|---|
| 8949 50 | 200 x 160 x 62 | 1 |

Use: Sharp Edge guide enables honing of blades width 3 - 85mm under angle 23° - 90°. Packing also consists of 4 diamond plates of grid 200, 400, 800, 1200 and also 3 micro foils for polishing.



8885| Round steel wedges

| Code | Ø size |  |  |
|---------|------------|---|---|
| 8885 51 | 7 - 10pcs | 10 | 10 |
| 8885 52 | 10 - 10pcs | 15 | 10 |
| 8885 53 | 12 - 10pcs | 18 | 10 |
| 8885 54 | 14 - 5pcs | 22 | 10 |
| 8885 55 | 16 - 5pcs | 23 | 10 |
| 8885 56 | 18 - 5pcs | 27 | 10 |

Material: tool carbon steel
Use: to secure handles in tools



8755| Plastic wedges

| Code | Size |  |
|---------|-----------------------|---|
| 8755 51 | 13 x 13 x 4,5 - 20pcs | 10 |
| 8755 52 | 20 x 21 x 5,5 - 15pcs | 10 |
| 8755 53 | 25 x 26 x 7,5 - 10pcs | 10 |

Material: ABS
Use: to secure handles in tools



8223| Marking knife



| Code | Thickness | Cutting edge | Length |  |
|---------|-----------|---|--------|---|
| 8223 01 | 3 |  | 170 | 1 |
| 8223 02 | 1,5 |  | 170 | 1 |

Handle: stained hornbeam, varnished
Blade: Mn - V steel, hardness 61HRC
Use: For clean cut through wood fibers, which leaves a crisp line deep enough to anchor a chisel.

8744| Wheel marking gouge



| Code | Size |  |
|---------|-------------|---|
| 8744 01 | Ø40 x 190mm | 10 |

Material: brass / stainless steel
Scribe disc: hardened tool steel



Use: A handy tool for transferring and marking dimensions directly into the wood by the steel cutting scribe disc.

8742| Leather apron



| Code | Size | Material |  |
|---------|-------------|---------------|---|
| 8742 00 | 860 x 610mm | split leather | 1 |

Apron made of high quality split grain leather
 Adjustable waist and neck leather straps with solid buckles and studs
 Four pockets for keeping your tools on hand



8093| Slotted screwdriver



| Code | | | | | |
|---------|-----|------|-----|----------|----|
| 8093 51 | 3,5 | 4,5 | 75 | 95 x 24 | 10 |
| 8093 52 | 4,5 | 4,5 | 90 | 95 x 24 | 10 |
| 8093 53 | 5,5 | 5,5 | 100 | 95 x 24 | 10 |
| 8093 54 | 7 | 7,0 | 125 | 110 x 31 | 10 |
| 8093 55 | 8 | 8,0 | 150 | 120 x 31 | 10 |
| 8093 56 | 10 | 8,0 | 175 | 120 x 31 | 10 |
| 8093 57 | 12 | 9,0 | 200 | 130 x 37 | 10 |
| 8093 58 | 14 | 10,0 | 250 | 140 x 37 | 10 |

Handle: stained and varnished beech wood, triangular cross-section
Blade: round, through to the end of the handle, chrome plated, hexagon for wrench, black point tip

8094| Screwdriver Phillips



| Code | | | | | |
|---------|------|-----|-----|----------|----|
| 8094 51 | PH 1 | 4,5 | 80 | 95 x 24 | 10 |
| 8094 52 | PH 2 | 6,0 | 100 | 110 x 31 | 10 |
| 8094 53 | PH 3 | 8,0 | 150 | 120 x 31 | 10 |

Handle: stained and varnished beech wood, triangular cross-section
Blade: round, through to the end of the handle, chrome plated, hexagon for wrench, black point tip

8095| Screwdriver Pozidriv



| Code | | | | | |
|---------|------|-----|-----|----------|----|
| 8095 51 | PZ 1 | 4,5 | 80 | 95 x 24 | 10 |
| 8095 52 | PZ 2 | 6,0 | 100 | 110 x 31 | 10 |
| 8095 53 | PZ 3 | 8,0 | 150 | 120 x 31 | 10 |

Handle: stained and varnished beech wood, triangular cross-section
Blade: round, through to the end of the handle, chrome plated, hexagon for wrench, black point tip

8096| Screwdriver square recess



| Code | | | | | |
|---------|----|-----|-----|----------|----|
| 8096 51 | R1 | 6,0 | 100 | 110 x 31 | 10 |
| 8096 52 | R2 | 6,0 | 100 | 110 x 31 | 10 |
| 8096 53 | R3 | 6,0 | 100 | 110 x 31 | 10 |

Handle: stained and varnished beech wood, triangular cross-section
Blade: round, through to the end of the handle, chrome plated, hexagon for wrench, black point tip

8580| Screwdriver set
8581| in paper box

| Code | Size | Content |  |
|---------|---|---------|---|
| 8580 00 |  3,5 x 75 | 8093 51 | 1 |
| |  4,5 x 90 | 8093 52 | |
| |  5,5 x 100 | 8093 53 | |
| |  PH1 x 80 | 8094 51 | |
| |  PH2 x 100 | 8094 52 | |

Content: 5-pc set in a paper box
3 x slotted, 2 x Phillips



| Code | Size | Content |  |
|---------|---|---------|---|
| 8581 00 |  3,5 x 75 | 8093 51 | 1 |
| |  4,5 x 90 | 8093 52 | |
| |  5,5 x 100 | 8093 53 | |
| |  PH1 x 80 | 8094 51 | |
| |  PH2 x 100 | 8094 52 | |
| |  PZ1 x 80 | 8095 51 | |
| |  PZ2 x 100 | 8095 52 | |

Content: 7-pc set in a paper box
3 x slotted, 2 x Phillips, 2 x Pozidriv



8581| Screwdriver set
in wooden box

| Code | Size | Content |  |
|---------|---|---------|---|
| 8581 10 |  3,5 x 75 | 8093 51 | 1 |
| |  4,5 x 90 | 8093 52 | |
| |  5,5 x 100 | 8093 53 | |
| |  PH1 x 80 | 8094 51 | |
| |  PH2 x 100 | 8094 52 | |
| |  PZ1 x 80 | 8095 51 | |
| |  PZ2 x 100 | 8095 52 | |

Content: 7-pc set in a wooden box
3 x slotted, 2 x Phillips, 2 x Pozidriv



8869| Gunsmith screwdriver



| Code |  b |  ød |  mm |  mm |  |
|---------|---|--|--|--|---|
| 8869 05 | 3/16" | 0,6 | 50 | 105 x 34 | 10 |
| 8869 07 | 1/4" | 0,8 | 50 | 105 x 34 | 10 |
| 8869 08 | 5/16" | 1,0 | 50 | 105 x 34 | 10 |

Handle: stained beech wood, varnished, brass ferrule
Blade: hollow-ground slotted, hardened, polished
Use: Designed to fit unique screws frequently used in gunsmithing profession. Hollow-ground tip ensures perfect fit.



HSS LINE PROFI



INFORMATION

BLADES



- made from high speed steel
- heat treated up to 64 HRC
- fully ground and sharpened

HANDLES



- ergonomic with round cross-section
- natural beech wood, waxed
- brass ferrule

USE



- High quality woodturning chisels suitable for comfortable and professional turning

SETS



wooden box

8182| Rectangular chisels HSS



| Code | Chisel | Cutting tip | Picture |  |  |  |
|---------|--------------------------------------|---|--|---|---|---|
| 8182 01 | Straight chisel HSS |  |  | 4 x 18 | 465 | 5 |
| 8182 02 | Skew chisel HSS |  |  | 4 x 18 | 465 | 5 |
| 8182 03 | Parting chisel HSS |  |  | 4 x 18 | 465 | 5 |
| 8182 04 | Round nose scraper HSS |  |  | 4 x 18 | 465 | 5 |
| 8182 05 | Square end scraper HSS right |  |  | 4 x 18 | 465 | 5 |
| 8182 55 | Square end scraper HSS left |  |  | 4 x 18 | 465 | 5 |
| 8182 06 | Round side cutting scraper HSS right |  |  | 4 x 18 | 465 | 5 |
| 8182 56 | Round side cutting scraper HSS left |  |  | 4 x 18 | 465 | 5 |
| 8182 08 | Skew hand tool HSS right |  |  | 4 x 18 | 465 | 5 |
| 8182 58 | Skew hand tool HSS left |  |  | 4 x 18 | 465 | 5 |

Handle: natural beech wood, waxed

Blade: high speed steel, hardness 64HRc, length 150 mm

8191| Gouges HSS



| Code | Chisel | Cutting tip | Picture |  |  |  |
|---------|----------------------|---|--|---|---|---|
| 8191 01 | Spindle gouge HSS |   |  | D13 | 465 | 5 |
| 8191 02 | Superflute gouge HSS |   |  | D13 | 465 | 5 |
| 8191 03 | Bowl gouge HSS |   |  | D13 | 465 | 5 |

Handle: natural beech wood, waxed


Blade: high speed steel, hardness 64HRc, length 150 mm

8194| Roughing gouge HSS



| Code | mm | mm | mm | |
|---------|--------|-----|-----|---|
| 8194 19 | 3/4" | 150 | 465 | 5 |
| 8194 32 | 1 1/4" | 150 | 650 | 5 |

Handle: natural beech wood, waxed
Blade: high speed steel, hardness 64HRc
Use: The primary use of the roughing gouge is for reducing square cross-section spindle-turning blanks to cylinders ready for further detailed operations.



8193| Round scraper with exchangeable cutting tip



| Code | Ø d | mm | |
|---------|-----|----------------------------|---|
| 8193 16 | 16 | 465 | 5 |
| 8193 66 | 16 | spare polished carbide tip | 1 |

Handle: natural beech wood, waxed
Blade: carbon steel, exchangeable polished sintered carbide tip



8594| Set of woodturning chisels HSS in wooden box

| Code | Content | |
|---------|---------|---|
| 8594 10 | 8182 03 | 1 |
| | 8182 04 | |
| | 8182 08 | |
| | 8191 01 | |
| | 8194 19 | |

Content: 5-pc set in a wooden box includes 3 rectangular, 1 spindle gouge and 1 roughing gouge



8183| Rectangular chisels HSS MINI



| Code | Chisel | Cutting tip | Picture | mm | mm | |
|---------|-----------------------------|-------------|---------|-------|-----|----|
| 8183 03 | Parting tool mini HSS | | | 3 x 8 | 230 | 10 |
| 8183 04 | Round nose scraper mini HSS | | | 3 x 8 | 230 | 10 |
| 8183 08 | Skew hand tool HSS right | | | 3 x 8 | 230 | 10 |

Handle: natural beech wood, waxed

Blade: high speed steel, hardness 64HRc, length 50 mm

8192| Gouges HSS MINI



| Code | Chisel | Cutting tip | Picture | mm | mm | |
|---------|----------------|-------------|---------|-----|-----|----|
| 8192 03 | Gouge mini HSS | | | 3 | 230 | 10 |
| 8192 04 | Gouge mini HSS | | | 4,7 | 230 | 10 |

Handle: natural beech wood, waxed

Blade: high speed steel, hardness 64HRC, length 50 mm

8594| Set of woodturning chisels HSS MINI in wooden box

| Code | Content | |
|---------|---------|---|
| 8594 00 | 8183 03 | 1 |
| | 8183 04 | |
| | 8183 08 | |
| | 8192 03 | |
| | 8192 04 | |

Content: 5-pc set in a wooden box
3 rectangular chisels, 2 gouges



STANDARD LINE



INFORMATION

BLADES



- alloyed tool steel
- heat treated up to 60 HRC
- polished and sharpened

HANDLES



- ergonomic with round cross-section
- natural beech wood, varnished or stained

USE



- Standard woodturning chisels suitable for comfortable and professional woodturning.





SETS



wooden box

Chisels



| Code | Chisel | Cutting tip | Picture | Blade | mm |  |
|---------|---|---|--|--------|-----|---|
| 8170 10 | Straight chisel |  |  | 4 x 14 | 345 | 10 |
| 8171 10 | Skew chisel |  |  | 4 x 14 | 345 | 10 |
| 8172 10 | Parting chisel |  |  | 4 x 14 | 345 | 10 |
| 8173 10 | Round nose scraper |  |  | 4 x 14 | 345 | 10 |
| 8174 10 | Square end scraper left |  |  | 4 x 14 | 345 | 10 |
| 8175 10 | Square end scraper right |  |  | 4 x 14 | 345 | 10 |
| 8176 10 | Round side cutting craper left |  |  | 4 x 14 | 345 | 10 |
| 8177 10 | Round side cutting scraper right |  |  | 4 x 14 | 345 | 10 |
| 8178 10 | Skew hand tool left |  |  | 4 x 14 | 345 | 10 |
| 8179 10 | Skew hand tool right |  |  | 4 x 14 | 345 | 10 |
| 8180 10 | Shallow gouge |  |  | 4 x 14 | 345 | 10 |
| 8181 10 | Shallow gouge |  |  | 4 x 14 | 345 | 10 |
| 8190 10 | Round scraper with exchangeable cutting tip |  |  | Ø 10 | 345 | 10 |
| 8190 12 | Round scraper with exchangeable cutting tip |  |  | Ø 12 | 345 | 10 |
| 8190 50 | Spare cutting tip from sintered carbide | |  | Ø 10 | | 1 |
| 8190 52 | Spare cutting tip from sintered carbide | |  | Ø 12 | | 1 |

Handle: dark stained beech wood, waxed
Blade: tool steel, hardness 60 HRC, polished, length 105 mm

8595| Set of woodturning chisels in wooden box

| Code | Content |  |
|---------|---------|---|
| 8595 03 | 8170 10 | 1 |
| | 8171 10 | |
| | 8178 10 | |
| | 8179 10 | |
| | 8180 10 | |
| | 8181 10 | |

Content: 6-pc set in a wooden box



CARVING TOOLS PROFI



INFORMATION

CARVING CHISELS PROFI



- blades forged from tool Cr-V steel
- heat treated to 59 HRc
- octagonal barrel shaped handles made of stained beech wood, varnished

ENGRAVING CHISELS PROFI



- blades forged from tool Cr-V steel, heat treated to 61 HRc
- mushroom shaped handles made of stained beech wood, varnished
- designed for woodcut and linocut

CARVING KNIVES PROFI



- blade forged from tool Mn-V steel
- heat treated to 61 HRc
- handles made of stained beech wood, varnished

SETS



paper box




wooden box




wooden stand

Carving chisels PROFI

Carving chisel, sweep 1



straight



bent




spoon type

| Code |
|---------|
| 8261 04 |
| 8261 08 |
| 8261 12 |
| 8261 16 |
| 8261 20 |
| 8261 30 |
| 8261 40 |
| 8261 50 |

| Code |
|---------|
| 8271 12 |
| 8271 16 |
| 8271 20 |
| 8271 30 |

| Code |
|---------|
| 8291 04 |
| 8291 08 |
| 8291 12 |




Handle: stained beech wood, varnished
Material: Cr-V steel, hardness 59HRc

Carving chisel, sweep 3



straight



bent




spoon type

| Code |
|---------|
| 8262 04 |
| 8262 08 |
| 8262 12 |
| 8262 16 |
| 8262 20 |
| 8262 30 |
| 8262 40 |

| Code |
|---------|
| 8272 12 |
| 8272 16 |
| 8272 20 |
| 8272 30 |

| Code |
|---------|
| 8292 04 |
| 8292 08 |
| 8292 12 |




Handle: stained beech wood, varnished
Material: Cr-V steel, hardness 59HRc

Carving chisel, sweep 5



straight



bent




spoon type

| Code |
|---------|
| 8263 04 |
| 8263 08 |
| 8263 12 |
| 8263 16 |
| 8263 20 |
| 8263 30 |
| 8263 40 |
| 8263 50 |
| 8263 70 |

| Code |
|---------|
| 8273 12 |
| 8273 16 |
| 8273 20 |
| 8273 30 |

| Code |
|---------|
| 8293 04 |
| 8293 08 |
| 8293 12 |




Handle: stained beech wood, varnished
Material: Cr-V steel, hardness 59HRc

Carving chisel, sweep 7



straight



bent




spoon type

| Code |
|---------|
| 8264 04 |
| 8264 08 |
| 8264 12 |
| 8264 16 |
| 8264 20 |
| 8264 30 |
| 8264 40 |
| 8264 50 |
| 8264 70 |

| Code |
|---------|
| 8274 12 |
| 8274 16 |
| 8274 20 |
| 8274 30 |

| Code |
|---------|
| 8294 04 |
| 8294 08 |
| 8294 12 |



Handle: stained beech wood, varnished
Material: Cr-V steel, hardness 59HRc

Carving chisels PROFI

Carving chisel, sweep 8




straight



bent



spoon-type



| Code |
|---------|
| 8265 04 |
| 8265 08 |
| 8265 12 |
| 8265 16 |
| 8265 20 |
| 8265 30 |
| 8265 40 |
| 8265 50 |
| 8265 70 |

| Code |
|---------|
| 8275 12 |
| 8275 16 |
| 8275 20 |
| 8275 30 |

| Code |
|---------|
| 8295 04 |
| 8295 08 |
| 8295 12 |



Handle: stained beech wood, varnished
Material: Cr-V steel, hardness 59HRc

Carving chisel, sweep 9




straight



bent




spoon-type



| Code |
|---------|
| 8266 04 |
| 8266 08 |
| 8266 12 |
| 8266 16 |
| 8266 20 |
| 8266 30 |
| 8266 40 |
| 8266 50 |


| Code |
|---------|
| 8276 12 |
| 8276 16 |
| 8276 20 |

| Code |
|---------|
| 8296 04 |
| 8296 08 |
| 8296 12 |



Handle: stained beech wood, varnished
Material: Cr-V steel, hardness 59HRc

Carving chisel, sweep 11




straight

| Code |
|---------|
| 8267 04 |
| 8267 08 |




Handle: stained beech wood, varnished
Material: Cr-V steel, hardness 59HRc

Carving chisel, sweep 41



straight



bent



spoon-type

| Code |
|---------|
| 8268 04 |
| 8268 08 |
| 8268 12 |


| Code |
|---------|
| 8278 04 |
| 8278 08 |
| 8278 12 |

| Code |
|---------|
| 8298 04 |
| 8298 08 |
| 8298 12 |




Handle: stained beech wood, varnished
Material: Cr-V steel, hardness 59HRc

Carving chisel, sweep 45



straight



bent




spoon-type

| Code |
|---------|
| 8269 04 |
| 8269 08 |
| 8269 12 |

| Code |
|---------|
| 8279 04 |
| 8279 08 |
| 8279 12 |



| Code |
|---------|
| 8299 04 |
| 8299 08 |
| 8299 12 |



Handle: stained beech wood, varnished
Material: Cr-V steel, hardness 59HRc

Carving chisels PROFi

Carving chisel, sweep 49



| Code |
|---------|
| 8268 54 |
| 8268 58 |
| 8268 62 |

| Code |
|---------|
| 8278 54 |
| 8278 58 |
| 8278 62 |

| Code |
|---------|
| 8298 54 |
| 8298 58 |
| 8298 62 |



Handle: stained beech wood, varnished
Material: Cr-V steel, hardness 59HRc

8228| Carving chisel for spoon making



| Code | Profile | Width | mm | mm | mm |
|---------|---------|-------|----|----|-----|
| 8228 20 | | 6 | 20 | 90 | 145 |



Handle: stained beech wood, varnished
Material: Cr - V steel, hardness 59HRc

8699| Sets of carving chisels PROFi in paper box

| Code | Content | |
|---------|------------------------------------|---|
| 8699 01 | 8264 16, 8267 04, 8268 08, 8294 12 | 1 |

Content: 4-pc set in a paper box

| Code | Content | |
|---------|--|---|
| 8699 50 | 8262 12, 8264 16, 8267 04, 8268 08, 8294 12, 8296 04 | 1 |

Content: 6-pc set in a paper box



8680| Sets of carving chisels PROFi in wooden box

| Code | Content | |
|---------|--|---|
| 8680 00 | 8262 12, 8295 04, 8296 04, 8268 08, 8267 04, 8294 12, 8264 16, 8273 12 | 1 |

Content: 8-pc set in a wooden box

| Code | Content | |
|---------|--|---|
| 8681 00 | 8266 08, 8296 04, 8267 04, 8295 04, 8264 30, 8294 12, 8265 20, 8268 08, 8264 16, 8273 12, 8263 30, 8262 30 | 1 |

Content: 12-pc set in a wooden box



8996| Leather tool roll

| Code | Dimensions | Number of pockets | |
|---------|------------|-------------------|---|
| 8996 00 | 372 x 330 | 14 | 1 |
| 8996 10 | 360 x 220 | 5 | 1 |

Material: Split leather
Supplied without chisels



Carving chisels for detailed carving PROFI

824x| Carving chisel for detailed carving PROFI



| Code | Chisel | Sweep | Picture | Blade width | mm |  |
|---------|-------------------------|------------------------|---|-------------|-----|---|
| 8240 18 | Carving chisel flat | 1 |  | 8 | 185 | 1 |
| 8241 12 | Carving gouge halfround | 9 C |  | 2 | 185 | 1 |
| 8242 13 | Carving gouge halfround | 8 C |  | 3 | 185 | 1 |
| 8243 14 | Carving gouge | 7 C |  | 4 | 185 | 1 |
| 8244 15 | Carving gouge shallow | 6 C |  | 5 | 185 | 1 |
| 8245 14 | Carving chisel angular | 41 ∠ _{60°} |  | 4 | 185 | 1 |

Handle: stained beech wood, varnished
Blade: Cr - V steel, hardness 59HRc

8690| Set for detailed carving PROFI in wooden box

| Code | content |  |
|---------|--|---|
| 8690 10 | 8240 18, 8241 12, 8242 13, 8243 14, 8244 15, 8245 14, 8225 10, 8225 20 | 1 |

Content: 8-pc set in a wooden box



8257| Carving mallet

| Code | Dimensions |  |
|---------|------------------|---|
| 8257 01 | ø 63 x 87 x 250 | 1 |
| 8257 02 | ø 98 x 137 x 300 | 1 |

Material: stained beech wood, varnished



8250| Brass carving mallet



Handle: stained hornbeam wood, waxed
Striking face: brass
Use:

Brass carving mallet increases efficiency of the stroke on the chisels while saving energy. The heavy brass head does not bounce back, so the full energy put into the blow is used. Compared to bigger mallets there is no need of a swing of an arm, only a slight pivot strike of the wrist.

| Code |  |  |  |  |
|---------|---|---|---|---|
| 8250 01 | 40 | 52 | 170 | 2 |

Engraving chisels PROFI

823x| Engraving chisel PROFI



| Code | Chisel | Sweep | Picture | Blade width |  |  |
|---------|------------------------------------|---|---|-------------|--|---|
| 8230 00 | Engraving chisel flat | 1 — |  | 4 | 152 | 1 |
| 8231 00 | Engraving chisel skew double-sided | 1  |  | 8 | 152 | 1 |
| 8232 00 | Engraving chisel gouge | 12  |  | 1 | 152 | 1 |
| 8233 00 | Engraving chisel gouge | 11  |  | 3 | 152 | 1 |
| 8234 00 | Engraving chisel gouge | 8  |  | 6 | 152 | 1 |
| 8235 00 | Engraving chisel gouge | 7  |  | 8 | 152 | 1 |
| 8236 00 | Engraving chisel angular | 41  |  | 3 | 152 | 1 |
| 8237 00 | Engraving chisel hollow out | 1 — |  | 6 | 152 | 1 |

Handle: stained beech wood, varnished
Blade: Cr - V steel, hardness 61HRC

8683| Set of engraving chisels PROFI 8685| in paper box

| Code | Content |  |
|---------|---|---|
| 8683 00 | 8230 00, 8233 00, 8234 00, 8235 00, 8236 00 | 1 |

Content: 5-pc set in a paper box

| Code | Content |  |
|---------|--|---|
| 8685 00 | 8230 00, 8233 00, 8234 00, 8235 00, 8236 00, 8225 10 | 1 |

Content: 6-pc set in a paper box



8687| Set of engraving chisels PROFI in wooden stand

| Code | Content |  |
|---------|--|---|
| 8687 00 | 8230 00, 8231 00, 8232 00, 8233 00, 8234 00, 8235 00, 8236 00, 8237 00 | 1 |

Content: 8-pc set in a wooden stand



Carving knives PROFÍ

8225| Carving knife PROFÍ



| Code | Knife | Cutting edge | Picture | mm | |
|---------|----------------------------|--------------|---------|-----|---|
| 8225 10 | Carving knife | | | 175 | 1 |
| 8225 20 | Carving knife necking | | | 175 | 1 |
| 8225 30 | Carving knife notchcutting | | | 140 | 1 |
| 8225 40 | Carving knife bent | | | 180 | 1 |

Handle: stained beech wood, varnished

Blade: Mn - V steel, hardness 61HRc

8691| Set of carving knives PROFÍ in wooden box

| Code | Content | |
|---------|------------------------------------|---|
| 8691 00 | 8225 10, 8225 20, 8225 30, 8225 40 | 1 |

Content: 4-pc set in a wooden box



8220| Carving knife Sloyd



| Code | Cutting edge | Blade length | Total length | |
|---------|--------------|--------------|--------------|---|
| 8220 01 | | 55 | 185 | 1 |



8137| Carving knife notching HSS

| Code | | | |
|---------|--------------|-----|----|
| | a x t | L | |
| 8137 01 | 12 x 3 right | 160 | 10 |
| 8137 02 | 18 x 4 right | 160 | 10 |
| 8137 11 | 12 x 3 left | 160 | 10 |
| 8137 12 | 18 x 4 left | 160 | 10 |

Material: HSS steel



8281| Carving drawknife



Handles: stained beech wood, varnished

Blade: Cr-V steel, hardness 57HRC, leather edge guard

Use: Shaping wood by removing shavings in carving sector.

| Code | Blade | |
|---------|-------|---|
| 8281 00 | 150 | 2 |



Carving knives PROFI

8221| Carving knives for spoon making PROFI



| Code | Knife | Cutting edge | Picture |  mm |  |
|---------|---|---|---|---|---|
| 8221 01 | Carving knife for spoon making, right |  |  | 170 | 1 |
| 8221 02 | Carving knife for spoon making, left |  |  | 170 | 1 |
| 8221 51 | Carving knife for spoon making shallow, right |  |  | 185 | 1 |
| 8221 52 | Carving knife for spoon making shallow, left |  |  | 185 | 1 |
| 8221 03 | Carving knife for spoon making, double-edge |  |  | 170 | 1 |
| 8221 04 | Carving knife for spoon making, small right |  |  | 165 | 1 |

Handle: stained beech wood, varnished

Blade: Mn steel hardness 61HRc

8995| Set of carving knives for spoon making PROFI in leather tool roll

| Code | Content |  |
|---------|------------------------------------|---|
| 8995 01 | 8221 01, 8221 04, 8225 10, 8228 20 | 1 |

Content: 4-pc set in a leather tool roll
two right-handed hook knives
carving chisel for spoon making
straight carving knife



8698| Set of carving knives for spoon making START in paper box

| Code | Content |  |
|---------|---------------------------|---|
| 8698 00 | 8221 03, 8225 10, 8228 20 | 1 |

Content: 3-pc set in a paper box
double-edge hook knife
carving chisel for spoon making
straight carving knife
includes pre-cut lime wood spoon blank and working instructions



8723| Carving vice

| Code | Clamping |  |
|---------|-------------|---|
| 8723 01 | with screws | 1 |
| 8723 02 | with clamp | 1 |

Features: universal clamping
base plate diameter 100mm
easy to adjust a desired angle
suitable for carvers and modellers



8723 01



8723 02

Water stones

8952| Norton Waterstones



| Code | Size | Grit |  |
|---------|--------------|-----------|---|
| 8952 01 | 8" x 3" x 1" | 1000 | 1 |
| 8952 02 | 8" x 3" x 1" | 220/1000 | 1 |
| 8952 03 | 8" x 3" x 1" | 1000/4000 | 1 |
| 8952 04 | 8" x 3" x 1" | 1000/8000 | 1 |
| 8952 05 | 8" x 3" x 1" | 4000/8000 | 1 |



Use: Norton Waterstones (USA) combine craftsmanship with the latest abrasive technology to produce a truly superior sharpening system.

Grits:
 220 for major edge repair
 1000 for establishing an edge
 4000 for maintaining and refining
 8000 for a mirror finish





How to sharpen a chisel

Scan this QR code to watch our short video about our recommended chisel sharpening..




8953| Sharpening stone for carving chisels

| Code |  | Grit | Material |  |
|---------|--|------------|-----------------|--|
| | H H1 B x L | | | |
| 8953 01 | 6 2 45 x 115 | middle 220 | corundum (gray) | 5 |
| 8953 02 | 6 2 45 x 115 | fine 320 | electret (pink) | 5 |



8954| Combined sharpening stone

| Code | Size | Grit |  |
|---------|---------------|----------------------------|---|
| 8954 01 | 125 x 50 x 20 | coarse 100 / fine 320 | 1 |
| 8954 02 | 125 x 50 x 20 | middle 180 / very fine 500 | 1 |



Dry stones

8957| Ceramic sharpening stone

| Code | Size | Grit |  |
|---------|---------------|------|---|
| 8957 01 | 100 x 45 x 10 | 600 | 1 |
| 8957 02 | 100 x 45 x 10 | 1800 | 1 |


Use: These top quality American ceramic sharpening stones are custom designed and manufactured by Wayne Barton. The medium grit 600 ceramic is the perfect stone to form the correct cutting angle, the ultra-fine 1800 grit stone polishes the blade to a razor sharp edge required for making clean, crisp cuts. Both will provide many years of service.



Oil stones

8955| Diamond sharpening plate

| Code | Size | Grit | Material |  |
|---------|--------------|--------|------------------|---|
| 8955 01 | 100 x 25 x 7 | fine | diamond (gray) | 1 |
| 8955 02 | 100 x 25 x 7 | coarse | diamond (yellow) | 1 |




8956| Sharpening arkansas stone natural

| Code | Size | Material |  |
|---------|---------------|----------|---|
| 8956 00 | 100 x 40 x 12 | arkansas | 1 |


Content: One stone in a wooden box



8695| Sharpening arkansas stone set



| Code | Size |  |
|---------|-------------|---|
| 8695 00 | 7 x 26 x 60 | 1 |
| | 5 x 26 x 60 | |
| | 6 x 26 x 60 | |
| | 5 x 26 x 60 | |



8959| Honing oil


| Code | ml |  |
|---------|-----|---|
| 8959 00 | 150 | 1 |

Use: To use for fine hand finish-sharpening on honing diamond desk and natural stones.



8958| Natural sharpening stone



| Code | Stone | Size mm | Picture |  |
|---------|------------|---------------|---|---|
| 8958 01 | Rounded | 80 x 55 x 18 |  | 1 |
| 8958 02 | Block | 150 x 50 x 20 |  | 1 |
| 8958 03 | Block | 200 x 60 x 30 |  | 1 |
| 8958 11 | For scythe | 210 x 35 x 14 |  | 1 |



Natural sharpening stone - Rozsutec

Sharpening stone is a processed sedimentary sandstone from Malá Fatra, Slovakia. It is used for final fine grinding and whetting of all types of blades. With the use of water or oil, its soft grain structure guarantees excellent sharpening features. Stone has high abrasion resistance. When using the sharpening stone, together with perfect polishing you can achieve Grit 6000 - 8000 and a mirror-like blade.

STANDARD LINE



INFORMATION

BLADES



- forged from alloyed Cr-V steel
- heat treated up to 55 HRC
- ground and sharpened

HANDLES



- ergonomic with octagonal cross-section
- natural beech wood, oiled

USE



- Carving chisels for general woodcarving, suitable for those preferring tradition and style and for amateur woodworkers

SETS



paper box



wooden box



leather tool roll

892x| Carving chisel STANDARD, straight



| Code | Chisel | Sweep | Picture | Blade width |  |  |
|---------|-------------------------|-----------|---|-------------|--|---|
| 8920 03 | Straight carving chisel | | | 3 | 195 | 10 |
| 8920 08 | Straight carving chisel | 1 |  | 8 | 195 | 10 |
| 8920 12 | Straight carving chisel | — | | 12 | 195 | 10 |
| 8921 08 | Skew carving chisel | 1 |  | 8 | 195 | 10 |
| 8921 12 | Skew carving chisel | — | | 12 | 195 | 10 |
| 8922 12 | Shallow carving gouge | 3 |  | 12 | 195 | 10 |
| 8923 06 | Carving gouge | | | 6 | 195 | 10 |
| 8923 10 | Carving gouge | 5 |  | 10 | 195 | 10 |
| 8923 25 | Carving gouge | | | 25 | 195 | 10 |
| 8924 04 | Carving gouge | | | 4 | 195 | 10 |
| 8924 08 | Carving gouge | 7 |  | 8 | 195 | 10 |
| 8924 12 | Carving gouge | — | | 12 | 195 | 10 |
| 8924 20 | Carving gouge | | | 20 | 195 | 10 |
| 8925 03 | Deep carving gouge | | | 3 | 195 | 10 |
| 8925 08 | Deep carving gouge | 9 |  | 8 | 195 | 10 |
| 8925 16 | Deep carving gouge | | | 16 | 195 | 10 |
| 8926 04 | Veiner carving gouge | 11 |  | 4 | 195 | 10 |
| 8926 10 | Veiner carving gouge | — | | 10 | 195 | 10 |
| 8927 06 | Straight V tool 90° | 45 90° |  | 6 | 195 | 10 |
| 8928 03 | Straight V tool 60° | 41 |  | 3 | 195 | 10 |
| 8928 12 | Straight V tool 60° | — 60° | | 12 | 195 | 10 |

Handle: natural beech wood, oiled surface

Blade: Cr - V steel hardness 55HRc

893x| Carving chisel STANDARD, bent



| Code | Chisel | Sweep | Picture | Blade width | mm | mm |
|---------|---------------------------------|-----------|---------|-------------|-----|----|
| 8930 12 | Straight carving chisel, bent | 1 | | 12 | 195 | 10 |
| 8931 12 | Left skew carving chisel, bent | 1 | | 12 | 195 | 10 |
| 8931 62 | Right skew carving chisel, bent | 1 | | 12 | 195 | 10 |
| 8933 10 | Carving gouge, bent | 5 | | 10 | 195 | 10 |
| 8934 04 | Carving gouge, bent | 7 | | 4 | 195 | 10 |
| 8935 08 | Veiner carving gouge, bent | 9 | | 8 | 195 | 10 |
| 8937 06 | Bent V tool | 45 90° | | 6 | 195 | 10 |

Handle: natural beech wood, oiled surface
Blade: Cr - V steel hardness 55HRc

894x| Carving knife STANDARD



| Code | Knife | Picture | mm | mm | mm |
|---------|----------------------|---------|----|-----|----|
| 8941 10 | Carving knife | | 50 | 154 | 10 |
| 8942 10 | Chip carving knife | | 29 | 133 | 10 |
| 8943 10 | Detail carving knife | | 29 | 133 | 10 |

Handle: natural beech wood, oiled surface
Blade: Cr - V steel hardness 55HRc

8946| Set of carving chisels STANDARD
8947| in paper box

| Code | Content |  |
|---------|--|---|
| 8946 10 | 8920 12, 8925 08, 8927 06, 8941 10, 8942 10, 8943 10, sharpening stone | 1 |

Content: 6-pc set in a paper box includes sharpening stone

| Code | Content |  |
|---------|--|---|
| 8947 10 | 8921 12, 8930 12, 8931 12, 8931 62, 8935 08, 8937 06 | 1 |

Content: 6-pc set in a paper box

| Code | Content |  |
|---------|--|---|
| 8947 20 | 8920 12, 8921 08, 8923 10, 8924 20, 8926 04, 8927 06 | 1 |

Content: 6-pc set in a paper box



8948| Set of carving chisels STANDARD
in wooden box

| Code | Content |  |
|---------|---|---|
| 8948 13 | 8920 08, 8924 04, 8925 08, 8926 10, 8927 06, 8933 10, 8941 10, 8942 10, 8943 10, sharpening stone | 1 |

Content: 9-pc set in a wooden box

| Code | Content |  |
|---------|--|---|
| 8948 50 | 8920 03, 8922 12, 8923 25, 8924 08, 8925 16, 8926 04, 8928 12, 8933 10, 8935 08, 8937 06, 8941 10, 8943 10 | 1 |

Content: 12-pc set in a wooden box



8945| Set of carving chisels STANDARD
in leather tool roll

| Code | Content |  |
|---------|---|---|
| 8945 10 | 8923 25, 8924 12, 8925 08, 8926 04, 8927 06 | 1 |

Content: 5-pc set in a leather tool roll 8996 10



8775| Display stand with carving tools STANDARD

| Code | Content | Qty |  |
|---------|---|-----|---|
| 8775 02 | 8920 03, 8920 08, 8920 12, 8921 08, 8921 12, 8922 12, 8923 06, 8923 10, 8923 25, 8924 04, 8924 08, 8924 12, 8924 20, 8925 03, 8925 08, 8925 16, 8926 04, 8926 10, 8927 06, 8928 03, 8928 12, 8930 12, 8931 12, 8931 62, 8933 10, 8934 04, 8935 08, 8937 06, 8941 10, 8942 10, 8943 10 | 31 | 1 |

Display stand: oak

Content: consists of our complete range of carving tools STANDARD



START



INFORMATION

BLADES



- hardened carbon steel
- black surface treatment
- fully ground and sharpened

HANDLES



- natural beech wood, oiled
- with square cross-section

USE



- Intended for beginning carvers

SETS



paper box



leather tool roll

8692| Set of carving tools START
in paper box

| Code | Content |  |
|---------|--|---|
| 8692 00 | 8227 01, 8227 02, 8227 03, 8227 04, 8227 05 | 1 |

Content: 5-pc set in a paper box
includes blank of lime wood
and sharpening instructions



8693| Set of carving tools START
in leather tool roll

| Code | Content |  |
|---------|--|---|
| 8693 00 | 8227 01, 8227 02, 8227 03, 8227 04, 8227 05 | 1 |

Content: 5-pc set in a leather
tool roll 8996 10



8227 01| Skew carving chisel



8227 02| Shallow carving gouge



8227 03| Carving gouge



8227 04| Deep carving gouge



8227 05| Straight V tool



8961| Lime blanks for woodcarving

| Code | Lime blank | Dimension | Picture |  |
|---------|---------------|-----------------|---|---|
| 8961 00 | Jewellery box | 240 x 140 |  | 1 |
| 8961 10 | Jewellery box | 240 x 240 |  | 1 |
| 8961 20 | Coffer box | 210 x 140 x 130 |  | 1 |
| 8961 30 | Wooden spoon | 255 x 55 x 30 |  | 1 |
| 8961 40 | Photo frame | 210 x 170 x 15 |  | 1 |
| 8961 50 | Photo frame | 250 x 200 x 15 |  | 1 |
| 8961 60 | Block | 165 x 80 x 34 |  | 1 |
| 8961 70 | Block | 250 x 120 x 34 |  | 1 |



All wood carving blanks are made of massive lime wood, which is easily worked with hand tools and therefore ideally suited for fine detailed carvings. The high thickness of the material is perfect for deep plane of carving that lets stand out of the fine details of the final piece.

The jewellery and coffer boxes have velvet fabric inlay of various colours and gold or old-brass fittings.

Photo frames are suited for photos 10x15 cm.

Examples of finished work:



Chisel edge guards

8716| Chisel edge guard with hanger

| Code |  mm | Use |  |
|---------|---|-----------------------------|---|
| 8716 10 | 3 - 6 | bevel edge and skew chisels | 50 |
| 8716 12 | 8 - 12 | bevel edge and skew chisels | 50 |
| 8716 20 | 14 - 20 | bevel edge and skew chisels | 50 |
| 8716 26 | 22 - 26 | bevel edge and skew chisels | 50 |
| 8716 32 | 28 - 32 | bevel edge chisels | 50 |
| 8716 40 | 35 - 40 | bevel edge chisels | 50 |
| 8716 50 | 50 | bevel edge chisels | 50 |
| 8716 64 | 8 - 14 | gouges | 50 |
| 8716 70 | 16 - 26 | gouges | 50 |



8717| Chisel edge guard

| Code |  mm | Use |  |
|---------|---|---------------------------|---|
| 8717 08 | 4 - 8 | mortise chisel | 50 |
| 8717 16 | 10 - 16 | mortise and corner chisel | 50 |



8718| Chisel edge guard with hanger

| Code |  mm | Use |  |
|---------|---|--------------------|---|
| 8718 32 | 28 - 32 | carpenter's chisel | 50 |



8714| Chisel edge guard with hanger

| Code |  mm | Use |  |
|---------|---|--------------------------|---|
| 8714 16 | 03 - 16 | carving chisels STANDARD | 50 |
| 8714 25 | 20 - 25 | carving chisels STANDARD | 50 |



Packing options



Various individual packing options on request.

Further products

List of other products that can be found in our main catalog NAREX BYSTRICE 2019 (to be sent upon request) or at www.narextools.cz

Screwdrivers

S LINE PROFÍ



S LINE T PROFÍ



STRONG LINE PROFÍ



MICRO LINE PROFÍ



PROFI LINE



MINI LINE PROFÍ



WOOD LINE PROFÍ



CLASSIC LINE



S LINE ELEKTRO PROFÍ



E LINE ELEKTRO PROFÍ



MICRO LINE ELEKTRO PROFÍ



Bits and holders

BITS



HOLDERS



Other tools

WRENCHES AND SOCKETS



OTHER TOOLS



The owner of the trade mark NAREX is company Protool s.r.o.
Misprints in catalogue excepted



NAREX BYSTRICE s.r.o.

**Dr. E. Beneše 349, Bystřice
257 51, Czech Republic**

tel: +420 317 793 311

narex@narextools.cz

www.narextools.cz